

**AMENDMENT**

Please amend the above-identified application as follows:

Amendments to the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously Presented) A method for identifying a particular callee, said method comprising:  
  
detecting, at an origin device, a voice utterance of a callee from a destination device;  
  
identifying, at said origin device, a callee identity associated with said voice utterance, such that said callee identity is transmittable as an authenticated identity of said callee for a call, further comprising:  
  
transmitting said voice utterance to a third party device via a network; and  
  
receiving said callee identity from said third party device.
2. (Original) The method for identifying a particular callee according to claim 1, further comprising:  
  
prompting said callee, from said origin device, to provide said voice utterance.

3. (Original) The method for identifying a particular callee according to claim 1, further comprising:  
  
prompting said callee to enter an additional input to verify said callee identity.
4. (Original) The method for identifying a particular callee according to claim 1, wherein identifying a callee identity further comprises:  
  
extracting speech characteristics from said voice utterance; and  
  
comparing said speech characteristics with a plurality of voice samples stored for identifying a plurality of callees.
5. (Canceled)
6. (Original) The method for identifying a particular callee according to claim 1, further comprising:  
  
requesting a voice sample for said particular callee from a third party device accessible via a network; and  
  
receiving said voice sample for said particular callee for enabling authenticating of said callee identity.
7. (Original) The method for identifying a particular callee according to claim 1, further comprising:  
  
displaying said callee identity to said caller at said origin device, wherein said caller is enabled to select whether to continue said call according to said callee identity.

8. (Original) The method for identifying a particular callee according to claim 1, further comprising:  
  
enabling said caller to identify a preferred callee at said origin device; and  
  
transferring an identifier for said preferred callee to said destination device, wherein said destination device is enabled to adjust output according to said identifier for said preferred callee.
9. (Original) The method for identifying a particular callee according to claim 1, wherein said origin device is a private exchange network.
10. (Original) The method for identifying a particular callee according to claim 1, wherein said origin device is a telephony device.
11. (Original) The method for identifying a particular callee according to claim 1, wherein said callee identity comprises at least one from among a callee name, a callee location, a subject of said call, and a device identification.
12. (Previously Presented) A system for identifying a particular callee, said system comprising:  
  
an origin device connected to a telephone network;  
  
means for detecting, at said origin device, a voice utterance of a callee from a destination device;  
  
means for identifying, at said origin device, a callee identity associated with said voice utterance, wherein said callee identity is transmittable as an authenticated identity of said callee for a call, further comprising:

means for transmitting said voice utterance to a third party device via a network; and

means for receiving said callee identity from said third party device.

13. (Original) The system for identifying a particular callee according to claim 12, further comprising:

means for prompting said callee, from said origin device, to provide said voice utterance.

14. (Original) The system for identifying a particular callee according to claim 12, further comprising:

means for prompting said callee to enter an additional input to verify said callee identity.

15. (Original) The system for identifying a particular callee according to claim 12, wherein said means for identifying a callee identity further comprises:

means for extracting speech characteristics from said voice utterance; and

means for comparing said speech characteristics with a plurality of voice samples stored for identifying a plurality of callees.

16. (Canceled)

17. (Original) The system for identifying a particular callee according to claim 12, further comprising:

means for requesting a voice sample for said particular callee from a third party device accessible via a network; and

means for receiving said voice sample for said particular callee for enabling authenticating of said callee identity.

18. (Original) The system for identifying a particular callee according to claim 12, further comprising:

means for displaying said callee identity to said caller at said origin device, wherein said caller is enabled to select whether to continue said call according to said callee identity.

19. (Original) The system for identifying a particular callee according to claim 12, further comprising:

means for enabling said caller to identify a preferred callee at said origin device; and

means for transferring an identifier for said preferred callee to said destination device, wherein said destination device is enabled to adjust output according to said identifier for said preferred callee.

20. (Original) The system for identifying a particular callee according to claim 12, wherein said origin device is a private exchange network.

21. (Original) The system for identifying a particular callee according to claim 12, wherein said origin device is a telephony device.

22. (Original) The system for identifying a particular callee according to claim 12, wherein said callee identity comprises at least one from among a callee name, a callee location, a subject of said call, and a device identification.

Claims 23-39. (Canceled)

40. (Previously Presented) A method for identifying a callee, comprising:
- detecting a voice utterance of a callee at a origin device originating a call;
- accessing at least one voice imprint from a third party server;
- responsive to matching said voice utterance with said at least one voice imprint, authenticating said identity of said callee according to a callee identification stored in association with said voice imprint and authenticating an identity of said callee from said voice utterance at said origin device; and
- enabling output of said authenticated identity from said origin device, such that a caller accessing said origin device is informed of an identity of said callee.
41. (Original) The method for identifying a callee according to claim 40, further comprising:
- comparing said voice utterance with at least one voice imprint stored at said origin device; and
- responsive to matching said voice utterance with said at least one voice imprint, authenticating said identity of said callee according to a callee identification stored in association with said voice imprint.
42. (Canceled)

43. (Original) The method for identifying a callee according to claim 40, wherein said output comprises displayable output to a graphical user interface.
44. (Original) The method for identifying a caller according to claim 40, wherein said output comprises audio output via a speaker.
45. (Previously Presented) A system for identifying a callee, comprising:
- an origin device for originating a call;
  - means for detecting a voice utterance of a callee at said origin device;
  - means for accessing at least one voice imprint from a third party server;
  - means responsive to matching said voice utterance with said at least one voice imprint, for authenticating said identity of said callee according to a callee identification stored in association with said voice imprint;
  - means for authenticating an identity of said callee from said voice utterance at said origin device; and
  - means for enabling output of said authenticated identity from said origin device, such that a caller accessing said origin device is informed of an identity of said callee.
46. (Original) The system for identifying a callee according to claim 45, further comprising:
- means for comparing said voice utterance with at least one voice imprint stored at said origin device; and

means responsive to matching said voice utterance with said at least one voice imprint, for authenticating said identity of said callee according to a callee identification stored in association with said voice imprint.

- 47. (Canceled)
- 48. (Original) The system for identifying a callee according to claim 45, wherein said output comprises displayable output to a graphical user interface.
- 49. (Original) The system for identifying a caller according to claim 45, wherein said output comprises audio output via a speaker.
- 50. (Canceled)
- 51. (Canceled)
- 52. (Previously Presented) A method for identifying a particular callee, said method comprising:

detecting, at a call initiating telephony apparatus, a voice utterance of a callee from a destination device, further comprising:

transmitting said voice utterance to a third party device via a network; and

receiving said callee identity from said third party device; and

identifying, at the call initiating telephony apparatus, a callee identity associated with said voice utterance, such that said callee identity is transmittable as an authenticated identity of said callee for a call.